Art Unit: 3724

Attorney Docket No.: KJM-1

This listing of claims will replace all prior versions and listings of claims in the application:

## **Listing of Claims:**

- 1. (Original) A utility knife comprising:

a housing; said housing having a forward portion, a rear portion, and a middle portion;

a cutting member; said cutting member attached to said forward portion; said rear portion, including a grip for enabling a user to grasp the knife with a hand;

a pivot wheel; said pivot wheel attached to said middle portion; at least a part of said pivot wheel received inside said housing whereby the knife is stabilized during use.

- 2. (Original) A utility knife as set forth in Claim 1 wherein said housing includes first and second sides; each including a wheel track for receiving said pivot wheel.
- 3. (Original) A utility knife as set forth in Claim 1 further including an opening extending through said middle portion; said opening adapted to receive the index finger of the user.
- 4. (Original) A utility knife as set forth in Claim 3 wherein said wheel is in the shape of a ring having a rim; said rim adjacent to said opening.

Art Unit: 3724

Attorney Docket No.: KJM-1

5. (Original) A utility knife as set forth in Claim 4 further including a curved hub wall inside

said housing and extending about said opening; said rim of said wheel adjacent to said hub wall

and engaging at least a portion of said hub wall during use of said knife.

6. (Original) A utility knife as set forth in Claim 1 wherein said knife is adapted to cut a work

piece; said rear portion including a protruding section which is not part of said grip; said

protruding section adapted to protect the hand of the user which grasps the knife from contacting

the work piece.

7. (Original) A utility knife as set forth in Claim 6 wherein said protruding section includes a

skid plate.

8. (Original) A utility knife as set forth in Claim 1 further including a storage compartment in

said housing; said storage compartment adapted to receive spare cutting members.

9. (Original) A utility knife as set forth in Claim 1 wherein said housing has first and second

sides and a mechanism for securing said first side to said second side; a storage compartment in

said housing; said storage compartment adapted to receive spare cutting members; a rotation

mechanism for enabling said first and second sides to rotate relative to one another to a second

position so that said storage compartment is accessible to the user; said storage compartment

being covered by said first and second sides when said first and second sides are in a first

position relative to one another.

- 3 -

Art Unit: 3724

Attorney Docket No.: KJM-1

10. (Original) A utility knife as set forth in Claim 9 wherein said rotation mechanism, including

a stud attached to and projecting from said first side and a curved track in said second side; said

stud received in said curved track; said stud enabled to move along said curved track.

11. (Original) A utility knife as set forth in Claim 9 including a lock/release mechanism; said

lock/release mechanism enabling said first and second sides to be locked into said first position

and released to be placed in said second position.

12. (Original) A utility knife as set forth in Claim 11 wherein said lock/release mechanism

includes a push button release mechanism and a locking notch.

13. (New) A utility knife comprising:

a housing; said housing having a forward portion, a rear portion and a middle

portion;

a cutting member; said cutting member attached to said forward portion; said rear

portion, including a grip for enabling a user to grasp the knife with a hand; and

said middle portion, further including an opening extending through said middle

portion; said opening adapted to receive the index finger of the user.

14. (New) A utility knife as set forth in Claim 13 wherein said rear portion includes a skid

plate.

- 4 -

Art Unit: 3724 Attorney Docket No.: KJM-1

15. (New) A utility knife as set forth in Claim 13 wherein said middle portion includes a

§ stabilizer pivot structure.